

(12) 按照专利合作条约所公布的国际申请

(19) 世界知识产权组织
国际局



(43) 国际公布日:
2005年5月12日(12.05.2005)

PCT

(10) 国际公布号:
WO 2005/043815 A1

- (51) 国际分类号: H04L 12/24
- (21) 国际申请号: PCT/CN2004/000997
- (22) 国际申请日: 2004年8月27日(27.08.2004)
- (25) 申请语言: 中文
- (26) 公布语言: 中文
- (30) 优先权:
200310103400.7 2003年10月30日(30.10.2003) CN
- (71) 申请人(对除美国以外的所有指定国): 华为技术有限公司(HUAWEI TECHNOLOGIES CO., LTD.) [CN/CN]; 中国广东省深圳市龙岗区坂田华为总部办公楼, Guangdong 518129 (CN).
- (72) 发明人: 及
- (75) 发明人/申请人(仅对美国): 杨磊(YANG, Lei) [CN/CN]; 中国广东省深圳市龙岗区坂田华为总部办公楼, Guangdong 518129 (CN).
- (74) 代理人: 北京同知知识产权代理有限公司(DEQI INTELLECTUAL PROPERTY LAW CORPORATION); 中国北京市海淀区花园东路10号高银大厦8层, Beijing 100083 (CN).


- (81) 指定国(除另有指明, 要求每一种可提供的国家保护):
AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
- (84) 指定国(除另有指明, 要求每一种可提供的地区保护):
ARIPO(BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), 欧亚专利(AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), 欧洲专利(AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI(BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

本国际公布:
— 包括国际检索报告:

所引用双字母代码和其它缩写符号, 符合刊登在每期PCT公报第1页的“代码及缩写符号简要说明”。

(54) Title: A METHOD OF PREVENTING FROM ATTACKING THE ETHERNET

(54) 发明名称: 一种防止以太网攻击的方法



- 101 THE SWITCH RECEIVED THE PACKET DATA FROM THE TERMINAL DEVICE
- 102 CHECK THE CORRESPONDING RELATION BETWEEN THE MAC ADDRESS AND THE PORT IS SET UP
- 103 IF NO, SET UP THE FIXED CORRESPONDING RELATION BETWEEN THE MAC ADDRESS AND THE PORT
- 104 FORWARD THE PACKET DATA
- 105 WHETHER CHECK THE SOURCE ADDRESS COMPLY WITH THE CORRESPONDING MAC ADDRESS
- 106 IF NO, DELETE THE PACKET DATA
- 107 CHECK WHETHER OR NOT THE LINK BETWEEN THE TERMINAL DEVICE AND THE PORT IS DISCONNECTED
- 108 DELETE THE CORRESPONDING RELATION BETWEEN THE MAC ADDRESS AND THE PORT
- 109 END

(57) Abstract: This invention discloses a method of preventing from attacking the Ethernet, the method includes: after detecting the link which is set up newly between the port and the terminal at the communicating device of the Ethernet and receiving the data from the terminal, setting up and storing the fixed corresponding relation of the hardware address of the port and the terminal, and forwarding the data depending on the fixed corresponding relation; after disconnecting the link between the port and the terminal at the communicating device of the Ethernet, deleting the fixed corresponding relation stored. This invention can facilitate the maintain of the network and can reduce the cost of maintaining the network in the case of ensuring the security and the reliability of the network.

[见续页]



WO 2005/043815 A1